

Jicrade

Tungsten Carbide Burrs



Wood Working



Fine Teeth




#	Code	Shank Dia.	Head Dia.	Head L.	Total L.
1	AE21053	Φ3.0	Φ21	5.3	41
2	D115	Φ3.0	Φ11.5	10.9	41
3	H04823	Φ3.0	Φ4.8	23	48
4	L08514	Φ3.0	Φ8.5	14	41

Medium Teeth



#	Code	Shank Dia.	Head Dia.	Head L.	Total L.
1	B0814	Φ3.17	Φ7.9	14.2	38.1
2	D0807	Φ3.17	Φ7.9	7	35
3	E0813	Φ3.17	Φ8	13	38.1
4	MA0627	Φ3.17	Φ6	27	45
5	MD0819	Φ3.17	Φ7.9	19	49

Coarse Teeth



#	Code	Shank Dia.	Head Dia.	Head L.	Total L.
1	C12.7	Φ6.35	φ12.7	31.8	60
2	C22.2	Φ6.35	φ22.2	31.8	60
3	D25.4	Φ6.35	φ25.4	25.4	60
4	E19	Φ6.35	φ19	31.8	60

Rotor Saw Burr



Code	Shank Dia.	Head Dia.	Head L.	Total L.
AE2105	φ3.17	φ21	5.5	45

M14 Burr



#	Code	Shank	Head Dia.	Head L.	Total L.
1	M14XC12.7	M14	φ12.7	50.8	100
2	M14XC22.2	M14	φ22.2	31.8	93
3	M14XD25.4	M14	φ25.4	25.4	82.6
4	M14XE19	M14	φ19	31.8	82.6

Grinding Wheel



Code	Shape	Diameter	Center Hole
CGB22-100	Convex	φ100	φ22.23

CG-1



Shank Diameter: 3mm

Including:

AE21053

D115

H04823

L08514

CG-2



Shank Diameter: 3.17mm (1/8")

Including:

B0814

D0807

E0813

MA0627

MD0819

CG-4



Shank Diameter: 6.35mm (1/4")

Including:

C12.7

C22.2

D25.4

E19

CBM-1 Shank Diameter: 3.17mm(1/8")



CBM-2 Shank Diameter: 3.17mm(1/8")



CBM-3 Shank Diameter: 3.17mm(1/8")





WUXI JICRADE TECH CO.,LTD.

117 Wennan Road, Wenlin,Zhutang Town,Jiangyin,Jiangsu,China

PC.:214416

Tel: +86-510-85755198

Mob: +86-135 0616 0675

E-mail: jj@jicrade.com